

10'sets for hazardous cargo container
(With Steel Grid Floor & Large Vents & Drainage Vales)

Side View-1 (10'+10')



Side View-2 (10'+10')




End Door View (1)



End Door View (2)



**Door Decal
(Complies with Australian
Standard: AS-1940-2004)**



Door End



Roof (10'+10')



Side Wall (10' with 4 large vents per unit)

Large vents with size 1000mm x 250mm



Side Wall (10' with 3 large vents per unit)

3 Pcs Drainage Valves



Interior View (Left Side)



Interior View (Right Side)



Steel Grid Floor (2 pcs per 10' unit)



Interior Escape Device

(There is a escape secure handle in the backside of door, so the door can be opened from the inside of the container)



Welding Type Connectors

(Bottom)



Welding Type Connectors

(Top)



20' CSC Plate



Dimension And Ratings(10' hazardous cargo container)

External Dimensions:

Length:2991mm/Width:2438mm/Height:2591mm

Internal Dimensions:

Length:2831mm/Width:2350mm /Height:2390mm

Door Opening Dimensions:

Width:2342mm/Height:2280mm

Internal Cubic Capacity:

15.9 Cubic Meters

Ratings:

Max.Gross Weight: 22400 kgs

Max.Payload: 19200 kgs

Tare Weight: 3200 kgs